

HIGH QUALITY PRODUCTS DESIGNED FOR OUR TOUGH AUSTRALIAN CONDITIONS




HARDWARE CATALOGUE



www.tuffcut.com.au

QLD: 1300 363 004 | NSW: 1300 363 005 | VIC: 1300 760 480 | TAS: (03) 6391 8058 | SA: 1300 781 352 | WA: 1300 307 574



**OWNED
ADAPTED
SUPPORTED**



TUFFCUT® offers a comprehensive range of spare parts for the Outdoor Power Equipment Market. **TUFFCUT®** spares are precision engineered fast moving parts designed for our tough Australian conditions and come in attractive, eye catching and space saving packaging.

From lawn mower blades and bolt packs to our tough, premium quality trimmer line, we have a product to suit your customers needs.

TUFFCUT® mower blades are precision made in Australia using Australian BHP steel. **TUFFCUT®** mower blades are manufactured by the only AS3902 supplier in Australia. All **TUFFCUT®** mower blades are subjected to stringent quality control procedures and are heat treated and tested in Australia (important to remember when considering the public liability risks of cheaper imported products).

TUFFCUT® blade and bolt combination packs are the latest and most up to date range available.

TUFFCUT® premium nylon co-polymer trimmer line makes tangles and premature breakages a thing of the past.

TUFFCUT® also offer many other fast moving spare parts including the most popular air filters, spark plugs, edger blades, wheels and a full range of oils and fuel containers.

TUFFCUT® will keep your customers coming back asking for more.



Lawn Mowers



Air Filters	1 – 2
Domestic Mower Blades	3 – 9
Slasher Blades	10
Carburettor and Fuel Accessories	11 – 12
Wheel Kits	12
Starter Parts	12
Spark Plug Covers	16
Spark Plugs	17 – 18
Fuel Containers	18, 19, 20
Oils and Lubricants	20 – 21

Ride On Mowers



Ride-On and Slasher Blade Sets	10
Fuel Accessories	11 – 12
Spark Plug Covers	16
Spark Plugs	17 – 18
Fuel Containers	18 – 19
Oils and Lubricants	20 – 21

Tubes



Tubes	12
-------	----

Domestic Edgers



Edger Blades	11
Carburettor and Fuel Accessories	11 – 12
Starter Parts	12
Spark Plug Covers	16
Spark Plugs	17 – 18
Fuel Containers	18 – 19
Oils and Lubricants	20 – 21

Chainsaws



Chain Loops	16
Chainsaw Sharpening Equipment	16
Chainsaw T-Wrenches / Plug Spanners	16 – 17
Spark Plugs	17 – 18
Fuel Containers	18 – 19
Bar and Chain Oil	21
2 Stroke Oil	21

Oil and Lubricants



Oil and Lubricants	20 – 21
--------------------	---------

Fuel Containers



Fuel Containers	18 – 19
Identification Tags	19 – 20

Brushcutters



Trimmer Line	13 – 14
Trimmer Heads and Accessories	15
Spark Plugs	17 – 18
Fuel Containers	18 – 19
Oils and Lubricants	20 – 21

Tools



E-Z Reacher	23
Spark Plug Spanners	16, 17

Spark Plugs and Accessories



Spark Plugs and Accessories	16, 17, 18
-----------------------------	------------

Safety



Safety Equipment	22
------------------	----

Gator Maul



Gator Maul	22
------------	----

Jump Starters

Jump Starters	iv
---------------	----

Trailers



Trailers	23
----------	----

Ramps



Ramps	13
-------	----

Indexes and References

A - Z Part Reference	24
Mower Blade Quick Find Section	30 – 37

Jump Starters

TOL7997

Multi-Function Mini Jump Starter 7500mAh

Starts up to a 2.5L petrol engine so you'll never be out of power for your ride-on, bike, boat and car, or even Smartphone! Perfect for home or busy workshop.

Accessories Details:

- Jump starter / power pack x 1
- Jump starter cables with clamps x 1
- USB multi-cable / 4 in 1 phone charger etc. x 1
- 12V Car charger x 1
- 240V Wall charger x 1
- User manual x 1



TOL7999

Multi-Function Jump Starter 12000mAh

Powerful and compact. Can start up to a 4L petrol or a 2.4L diesel engine and charge a Smartphone up to 7X when fully charged. Ideal for ride-on, jet-ski, boat, bike and car.

Accessories Details:

- Jump starter / power pack x 1
- Jump starter cables with clamps x 1
- USB multi-cable / 4 in 1 phone charger etc. x 1
- Assorted adaptors / connectors for various electronic equipment
- 240V Wall charger x 1
- 12V Car charger x 1
- Carry case x 1
- User manual x 1




How to Use the Multi-Function Jump Starter TOL7997



1. Connect clamps to the battery



2. Connect cable ends to jump starter



3. Start the engine



4. Remove the plug from jump starter



5. Disconnect the clamps from the battery terminals

Q&A

Q: How do I turn off the jump starter?

A: The appliance will power off automatically, when no load or charging is completed.

Q: How many times will the appliance charge my iPhone?

A: TOL7997 at least 3 times for a iPhone – if the appliance is fully charged or TOL7999 up to 7x.

Q: How long will the appliance take to charge my phone completely?

A: Approximately 1 to 2 hours.

Q: How many times can this appliance on full charge start a vehicle?

A: Approximately 20 times, depending on size of engine.

Q: How long will the appliance stay fully charged if not used?

A: 6 to 12 months, however, we suggest you recharge it every 3 months.

Q: How many times can the appliance be charged?

A: Approximately 1000 times.













Q: What size engine will this appliance start?

A: Fully charged the TOL7997 should start a 2.5L petrol engine.







www.tuffcut.com.au



Briggs & Stratton










Part No	Description	Replaces OEM	Image
10-3771  9 316596 002030	Briggs & Stratton Foam Air Filter Fits: 3 hp to 3.75 hp vertical shaft Classic and Sprint engine models 92900, 93900, 95900, 96500, 96900, 98900, 9B902 and 10A900. Length: 5 3/4" (146 mm) Width: 3 5/8" (92 mm) Height: 1 1/4" (32 mm) 	Briggs & Stratton 272235	
10-6497  9 316596 088225	Briggs & Stratton Foam Air Filter Fits: late model Sprint and Quattro engines, models 98900, 9B900, 9C900 series after code 02101000, 10A900. Length: 5 1/8" (130 mm) Width: 2 7/8" (73 mm) Height: 1 1/4" (32 mm) 	Briggs & Stratton 698369	
10-7905  9 316596 095148	Briggs & Stratton Air Filter and Pre-Filter Briggs & Stratton 3 hp to 5 hp horizontal shaft engines, 3.5 hp, 4.5 hp, 5 hp and 6 hp (12 CID) Quantum engines and 6 hp (13 CID) vertical shaft, engine models 92200, 112200, 121700, 128700 to 129799, 12A800 to 12T899, 130200 to 130299 starting with 2915. Height: 3/4" (19 mm) Length: 5 1/4" (133 mm) Width: 4 1/2" (114 mm) 	Briggs & Stratton: Air Filter 399959 491588 491588S Pre-Filter 271933 491435	
10-7907  9 316596 095155	Briggs & Stratton Air Filter & Pre-Filter Fits: Briggs & Stratton 3hp to 5hp horizontal shaft engines, 3.5 hp to 4.5 hp, 5 hp and 6 hp (12 CID) Quantum engines & 6hp (13 CID) vertical shaft, engine models 92200, 112200, 121700, 128700 to 129799, 12A800 to 12T899, 130200 to 130299 starting with code 2915. Height: 3/4" (19 mm) Length: 5 1/4" (133 mm) Width: 4 1/2" (114 mm) 	Briggs & Stratton Air Filter 399959 491588 491588S Pre-Filter 271933 491435	

Honda







Part No	Description	Replaces OEM	Image
10-7905  9 316596 095148	Honda Air Filter & Pre-Filter Honda engine models GC135, GC160, GCV135, GCV160, GSV190, HRU19R Residential lawn mowers, HRR216, HRT216, GXV57 models. Height: 3/4" (19mm) Length: 5 1/4" (133mm) Width: 4 1/2" (114mm) 	Briggs & Stratton: Air Filter 17211-ZL8-000 17211-ZL8-003 17211-ZL8-023 Pre-Filter 17218-Z2A-000	
10-7907  9 316596 095155	Honda Air Filter & Pre-Filter Fits: Honda GC135, GC160, GCV135, GCV160, GSV190, HRU19R Residential lawn mowers, HRR216, HRT216, GXV57 models. Height: 3/4" (19mm) Length: 5 1/4" (133mm) Width: 4 1/2" (114mm) 	Honda Air Filter 17211-ZL8-000 17211-ZL8-003 17211-ZL8-023 Pre-Filter 17218-Z2A-000	



Rover

Part No	Description	Replaces OEM	Image
10-1826 	Rover Air Filter Fits: Models from 1980 onwards with Air Cleaner Housings that mount on the handlebars and have a Screw Top. OD: 1 5/8" (41 mm) ID: 7/8" (22 mm) Length: 6" (152 mm) 	Rover A03189	
10-7905 	Rover Scott Bonnar Air Filter & Pre-Filter Fits: Rover Scott Bonnar Greenkeeper model lawn mowers fitted with SX4000 engines. Height: 3/4" (19 mm) Length: 5 1/4" (133 mm) Width: 4 1/2" (114mm) 	Rover L180130142-0001	
10-7907 	Rover Air Filter & Pre-Filter Fits: Rover Scott Bonnar Greenkeeper model lawn mowers fitted with SX4000 engines. Height: 3/4" (19 mm) Length: 5 1/4" (133 mm) Width: 4 1/2" (114 mm) 	Rover L180130142-0001	

Victa

Part No	Description	Replaces OEM	Image
10-134 	Victa Short Element Fits: G3, G4 and LM Carburettors Fitted to Storebrand Models Length: 3 1/2" (89 mm) O.D: 1 1/2" (38 mm) I.D: 3/4" (19 mm) 	Victa AF07276A	
10-136 	Victa Long Element Fits: G3 G4 and LM Carburettors Models Victa Models only. Length: 5 1/8" (130 mm) O.D: 1 1/2" (38 mm) I.D: 3/4" (19 mm) 	Victa AF07282A	



Scepter





Fuel Cans – Symbol of Quality

- High density polyethylene
- Lightweight
- Crush proof
- Accommodates expansion
- Approved to Australian standards













SCEPTER IS ON PAGE 18 & 19







Bushranger™

Part No	Description	Replaces OEM	Image
17-5881 	Bushranger™ blade and bolt set, skin packed for display Fits: PLP Bushranger™ 18" (457 mm) and 21" (460 mm) cut 2008 models onwards, eg 21" cut Silver chassis with Kawasaki engines and Red chassis with Briggs & Stratton engines, including 460, 460QI, 460QA, 530 and 530sp models. Flat blade with domed bolt hole and formed flute. Length: 3 1/2" (89 mm) Width: 2" (50 mm) Hole: 1/2" (13 mm) 		 Refer to Page 34 for actual size blade silhouette





Cox

Part No	Description	Replaces OEM	Image
17-3238 	Cox blade and bolt set skin, packed for display Fits: Cox Crusader 18" (457 mm) cut rear catcher models. Flat blade with flute: Length: 3 3/4" (95 mm) Width: 1 1/2" (38 mm) Hole: 1/2" (13 mm) 		 Refer to Page 31 for actual size blade silhouette
17-3238/4 	Cox blade and bolt set skin packed for display (2 pair per pack) Fits: Cox Crusader 18" (457 mm) cut rear catcher models. Flat blade with flute: Length: 3 3/4" (95 mm) Width: 1 1/2" (38 mm) Hole: 1/2" (13 mm) 		 Refer to Page 31 for actual size blade silhouette
17-7667 	Cox blade and bolt set skin packed for display Fits: Cox Workman 21" (535 mm) cut Utility side throw models. Flat blade with domed bolt hole. Length: 5 5/16" (135 mm) Width: 2" (50 mm) Hole: 5/8" (16 mm) 		 Refer to Page 30 for actual size blade silhouette

Flymo – Electrolux / Weedeater

Part No	Description	Replaces OEM	Image
17-5546 	Flymo blade and bolt set, skin packed for display Fits: Flymo 19" (483 mm) cut rear catcher models including RL480 series, RL488 series and FC378 Series. Also fits: early Husqvarna Viking models and Weedeater WE480 series. Flat blade with formed flute and domed bolt hole. Length: 4 1/4" (107 mm) Width: 1 3/4" (44 mm) Hole: 9/16" (14 mm) 	288151 	 Refer to Page 33 for actual size blade silhouette





GMC





Part No	Description	Replaces OEM	Image
17-3620 	GMC blade and bolt set, skin packed for display Fits: selected GMC rear catcher models using swing back blades. Stepped blade with formed flute and offset bolt hole, right hand cut. Length: 4 7/8" (124 mm) Width: 1 3/4" (44 mm) Hole: 5/8" (16 mm) 		 Refer to Page 32 for actual size blade silhouette







Domestic Mower Blade Sets





Honda

Part No	Description	Replaces OEM	Image
17-3620  9 316596 067091	Honda blade and bolt set, skin packed for display Fits: Honda 19" (483 mm) and 21" (533 mm) cut rear catcher models including: HRU194PU and HRU214SU and Buffalo Buck, Buffalo Bull and Buffalo Classic 19" (483 mm) cut model series. Stepped blade with formed flute and offset bolt hole, right hand cut. Length: 4 7/8" (124 mm) Width: 1 3/4" (44 mm) Hole: 5/8" (16 mm)  Standard Pack 1 Pair	06720-VA3-K00 L1238-HRU-001 	 Refer to Page 32 for actual size blade silhouette





17-6402  9 316596 074419	Honda blade and bolt set, skin packed for display. (1pr) Stepped low fluted and (1pr) stepped high fluted catcher blades and bolt sets Fits: Honda Buffalo 21" (533 mm) cut rear catcher models including Buffalo Bull and Classic HRU217DPU, HRU216SU and Mulch and Catch model HRU216DSU. Length: 6" (152 mm) Width: 2" (50 mm) Hole: 5/8" (16 mm)  Standard Pack 1 (2 Pairs)	06720-VJ9-600 	 Refer to Page 35 for actual size blade silhouette
------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------

Jetfast / Supa-Swift

Part No	Description	Replaces OEM	Image
17-3234  9 316596 077472	Jetfast / Supa-Swift blade and bolt set, skin packed for display Fits: Jetfast / Supa-Swift 18" (457 mm) cut rear catcher models including 707, 747, Lawn Patrol 767 and selected Vulcan and Turner models. Flat blade with formed flute, right hand cut. Length: 3 1/2" (89 mm) Width: 1 3/4" (44 mm) Hole: 1/2" (13 mm)  Standard Pack 1 Pair	900174 900173 	 Refer to Page 31 for actual size blade silhouette

17-7667  9 316596 101344	Jetfast / Supa-Swift blade and bolt set, skin packed for display Fits: Jetfast / Supa-Swift 21" (533 mm) cut Utility side discharge models including Big Bob, Commercial Worker and Vulcan. Also suits: Cox Workman 21" (533 mm) cut utility side throw mowers. Flat blades with domed bolt holes. Length: 5 5/16" (135 mm) Width: 2" (50 mm) Hole: 5/8" (16 mm)  Standard Pack 1 Pair	900331 900321 	 Refer to Page 30 for actual size blade silhouette
--------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------

Masport / Morrison







Part No	Description	Replaces OEM	Image
17-3237  9 316596 067053	Masport blade and bolt set, skin packed for display Fits: Masport 18" (457 mm) cut rear catcher models Craftsman 435, 640X, President 635, 640I, 642B, Whirlwind 435. Flat blades with formed flute and offset bolt hole, right hand cut. Length: 4" (101 mm) Width: 1 3/4" (44 mm) Hole: 1/2" (13 mm)  Standard Pack 1 Pair	529578 	 Refer to Page 30 for actual size blade silhouette

PLEASE NOTE: Blade lengths are measured from centre of bolt hole to tip of blade.







www.tuffcut.com.au






Masport / Morrison

Part No	Description	Replaces OEM	Image
17-5345  9 316596 067107	Masport and Morrison blade and bolt set, skin packed for display Fits: Masport 18" (457 mm) cut Cushion Cut and Quick Cut rear catcher models using a blade carrier bar including 200-4, 250-2, 250-4, 300-2, 300-4, 400-2, 400 Keystart, 400-4, 600-1, 600-2, 600-4, 800-2, 800-4, 950I-4, Contractor 460-4, 530-2, 530-4 series. Also fits Morrison 18" (457 mm) cut 2N1-4, 460 Typhoon, 460-4 Typhoon, Series 300, 300-4 and 400 Elite, 400-4, Utility 460-4, 475, 500 and 500 series, Missile 450ST and Torpedo 475ST. Stepped blades with formed flute and domed bolt hole. Length: 3 3/4" (95 mm) Width: 1 3/4" (44 mm) Hole: 1/2" (13 mm) 	529594	 Refer to Page 33 for actual size blade silhouette
18-5540  9 316596 067213	Masport blade and bolt set skin packed for display Fits: Masport 21" (533 mm) cut side discharge Contractor 530 models Flat blade with flute. Length: 5 1/2" (140 mm) Width: 2" (50 mm) Hole: 1/2" (13 mm) 	980555 590013	 Refer to Page 36 for actual size blade silhouette

MTD / Yardman

Part No	Description	Replaces OEM	Image
17-5881  9 316596 067169	MTD blade and bolt set, skin packed for display Fits: MTD / Yardman 18" (457mm) and 21" (533mm) cut rear catcher models 036101 to 036104 series. Flat blades with domed bolt hole and formed flute. Length: 3 1/2" (89 mm) Width: 2" (50 mm) Hole: 1/2" (13 mm) 	753-9006	 Refer to Page 34 for actual size blade silhouette
18-5543  9 316596 067244	MTD blade and bolt set, skin packed for display Fits: MTD 19" (483 mm) and 21" (533 mm) cut domestic lawn mower models fitted with a swing back blade carrier. Stepped and high fluted blades right hand cut and matching bolt set skin packed for display. Length: 5 15/16" (150 mm) Width: 2" (50 mm) Hole: 1/2" (13 mm) 	742-1921	 Refer to Page 37 for actual size blade silhouette

Rover

Part No	Description	Replaces OEM	Image
17-3238  9 316596 067060	Rover blade and bolt set, skin packed for display Fits: Rover 18" (457 mm) and 20" (508 mm) cut rear catcher models including 2 Stroke XL, 200ES / XL / X, Baron, CAMS, Challenger, Combat, Craftsman / Deluxe, Easystart / Extra, Economo, ES, MSAA, Pedigree, Powerstart, Premier, Princess, Regal, Regent, Self-propelled, Supercat 220, Thoroughbred etc. Flat blade with formed flute, right hand cut. Length: 3 3/4" (95 mm) Width: 1 1/2" (38 mm) Hole: 1/2" (13 mm) 	A01118/672K	 Refer to Page 31 for actual size blade silhouette

PLEASE NOTE: Blade lengths are measured from centre of bolt hole to tip of blade.













www.tuffcut.com.au







Domestic Mower Blade Sets

Domestic Mower Blade Sets




Rover

Part No	Description	Replaces OEM	Image
17-3238/4  9 316596 074372	Above Rover 17-3238 blade and bolt set, skin packed for display in a two pair per pack option  Standard Pack 1 (2 Pairs)	A01118/672K 	 Refer to Page 31 for actual size blade silhouette
17-5696  9 316596 067145	Rover blade and bolt set, skin packed for display (1 pair per pack) Fits: Late model Rover 18" (457 mm) and 20" (508 mm) cut rear catcher models Baron, Cams, Challenger, Combat, Craftsman and Deluxe, Crusader Deluxe, Easy Start and Extra, Easy Push, Easymow and Easy Go self propelled, Fairway Xtra, Pedigree, PowerStart, Premier, Pro Cut 50 and self propelled, Professional Super Cut 45 and 50, Quick Start Deluxe and Xtra, Regal, Rover Leader (MSAA), Self Propelled XDS46, Supercut and 220, Thoroughbred, 200 series, 2 Stroke XL, Wayfarer etc. Flat blade with formed flute and offset bolt hole, right hand cut. Length: 3 3/4" (95 mm) Width: 2" (50 mm) Hole: 1/2" (13 mm)  Standard Pack 1 Pair	A03830/672K 	 Refer to Page 34 for actual size blade silhouette
17-3620  9 316596 067091	Rover blade and bolt set, skin packed for display Fits: Rover 18" (457 mm) cut rear catcher models August 2008 onwards including 13846 Q Start, 13346 Fairway, 13746 Easytrim, 13847 Quickstart, 13848 Quickstart Xtra, 13748 Easy Trim Xtra, 14848 Quickstart Deluxe Mulch N Catch, 14348 Wayfarer Mulch N Catch, 14748 Easy Trim Deluxe Mulch and Catch. Stepped Blades with formed flute and offset bolt hole. Length: 4 7/8" (124 mm) Width: 1 3/4" (44 mm) Hole: 5/8" (16 mm)  Standard Pack 1 Pair	1800081 	 Refer to Page 32 for actual size blade silhouette

Sanli

Part No	Description	Replaces OEM	Image
17-7437  9 316596 088331	Genuine Sanli blade and bolt set, skin packed for display Fits: LazerCut LCS400 42cm cut, rear catcher models with yellow chassis, PowerCut PCS400 18" (460 mm) cut rear catcher models with red chassis, PowerCut PCS400 18" (460 mm) cut rear catcher models with silver chassis, PowerMulch PMS550 18" (460mm) cut mulch and catch models with black chassis. Flat blade with formed flute and domed bolt hole, right hand cut Length: 4 25/32" (121 mm) Width: 2" (50 mm) Hole: 19/32" (15 mm)  Standard Pack 1 Pair	PSS-LB1 	 Refer to Page 36 for actual size blade silhouette

Stihl — Viking













Part No	Description	Replaces OEM	Image
17-5881  9 316596 067169	Stihl Viking blade and bolt set, skin packed for display Fits: Stihl Viking 18" (457 mm) and 21" (535 mm) cut 1998 rear catcher models including, MB424Q, MB425, MB425M, MB425I, MB455 from serial no. 40505282, MB455SP from serial No. 40074410, MB460SP from serial no. 40506782. Flat blades with formed flute and domed bolt holes, right hand cut. Length: 3 1/2" (89 mm) Width: 2" (50 mm) Hole: 1/2" (13 mm)  Standard Pack 1 Pair	6123 007 1000 	 Refer to Page 34 for actual size blade silhouette

PLEASE NOTE: Blade lengths are measured from centre of bolt hole to tip of blade.









www.tuffcut.com.au







Stihl — Viking

Part No	Description	Replaces OEM	Image
17-5345 	Stihl Viking blade and bolt set, skin packed for display Fits: Stihl Viking 18" (457 mm) cut rear catcher models using a blade carrier bar, including Turbo Cut "N" Catch MB434 and MB435 series. Stepped blades with formed flute and domed bolt hole. Length: 3 3/4" (95 mm) Width: 1 3/4" (44 mm) Hole: 1/2" (13 mm) 	6352 007 1000 	 Refer to Page 33 for actual size blade silhouette
17-3238 	Stihl Viking blade and bolt set, skin packed for display Fits: Early model Stihl Viking 18" (457 mm) cut rear catcher models up until 1996 including MB440 and MB450. blade and bolt set skin packed for display. Flat blade with formed flute, right hand cut. Length: 3 3/4" (95 mm) Width: 1 1/2" (38 mm) Hole: 1/2" (13 mm) 	6105 183 6070 	 Refer to Page 31 for actual size blade silhouette
17-3238/4 	Above Stihl Viking 17-3238 blade and bolt set, skin packed for display in a two pair per pack option 	6105 183 6070 	 Refer to Page 31 for actual size blade silhouette

Supa-Swift / Jetfast

Part No	Description	Replaces OEM	Image
17-3234 	Supa-Swift / Jetfast blade and bolt set Skin packed for display Fits: Jetfast / Supa-Swift 18" (457 mm) cut rear catcher models including 707, 747, Lawn Patrol 767 and selected Vulcan and Turner models. Flat blade with formed flute, right hand cut. Length: 3 1/2" (89 mm) Width: 1 3/4" (44 mm) Hole: 1/2" (13 mm) 	900174 900173 	 Refer to Page 31 for actual size blade silhouette
17-7667 	Supa-Swift / Jetfast blade and bolt set Skin packed for display Fits: Jetfast / Supa-Swift 21" (533 mm) cut Utility side discharge models including Big Bob, Commercial Worker and Vulcan. Also suits: Cox Workman 21" (533 mm) cut Utility side throw models. Flat blades with domed bolt holes. Length: 5 5/16" (135 mm) Width: 2" (50 mm) Hole: 5/8" (16 mm) 	900331 900321 	 Refer to Page 30 for actual size blade silhouette

Talon

Part No	Description	Replaces OEM	Image
17-6374 	Talon blade and bolt set Skin packed for display Fits: Talon 19" (483 mm) cut AM3050 (uses 1 pair of blades), AM3054 (uses 2 pair of blades) rear catcher models. Flat blades with formed flute and offset bolt holes. Length: 3 3/4" (95 mm) Width: 2" (50 mm) Hole: 1/2" (13 mm) 	A09228305001 	 Refer to Page 35 for actual size blade silhouette

PLEASE NOTE: Blade lengths are measured from centre of bolt hole to tip of blade.

www.tuffcut.com.au

QLD: 1300 363 004 | NSW: 1300 363 005 | VIC: 1300 760 480 | TAS: (03) 6391 8058 | SA: 1300 781 352 | WA: 1300 307 574

Copyright © 2017 Roy Gripske & Sons Pty. Ltd. All Rights Reserved. #141



Domestic Mower Blade Sets

Victa

Part no	Description	Replaces OEM	Image
17-3242 	Victa blade and bolt set, skin packed for display Fits: Victa 18" (457 mm) cut rear catcher models from 1974 onwards Auto Drive, Bronco, Charger, Commando, Commodore, Compact, Corvette, Corsair, Cortina, Jogger, Lancer, Lightweight, Mayfair, Mustang, Pace, Pacer, Pro-deluxe, Quandra, Quantum, Rapier, Sabre, Silver Streak, Sports, Standard, Storebrand, Sunbeam models, Vortex, Tiger, Marque, Wildcat etc. Flat blades with domed bolt holes and formed flute. Length: 3 3/4" (96 mm) Width: 1 3/4" (44 mm) Hole: 9/16" (14 mm) 	CA09506S	 <p>Refer to Page 32 for actual size blade silhouette</p>
17-5883 	Victa blade and bolt set, skin packed for display (1 pair per pack) Fits: Victa 18" (457 mm) cut Mulch and Catch models 1998 onwards. Heavy-duty high flute blades with domed offset bolt holes. Length: 3 3/4" (95 mm) Width: 2 1/4" (57 mm) Hole: 9/16" (14 mm) 	CA09434S	 <p>Refer to Page 34 for actual size blade silhouette</p>
17-6328 	Above Victa 17-5883 blade and bolt set, skin packed for display in a two pair per pack option 	CA09434S	 <p>Refer to Page 34 for actual size blade silhouette</p>
17-3245 	Victa blade (short type) and bolt set, skin packed for display Fits: Victa late model side discharge Utility models from 1984 onwards Craftsman, MSA, Professional 460, Utility, fitted with Powertorque engines. Flat blades with domed bolt holes. Length: 4" (101 mm) Width: 1 1/2" (38 mm) Hole: 9/16" (14 mm) 	CA09351S CA09277S	 <p>Refer to Page 32 for actual size blade silhouette</p>
17-6490 	Victa blade and bolt set, skin packed for display Fits: Victa 19" (483 mm) and 20" (508 mm) cut rear catcher models Corvette, Razor, Rambo, Mustang, Twin 500, Supreme 500 Twin, Tornado, 505 and 505 self propelled. Stepped and fluted blades with domed bolt holes. Length: 4 3/4" (121 mm) Width: 1 3/4" (44 mm) Hole: 9/16" (14 mm) 	CA09393S CA09319S	 <p>Refer to Page 35 for actual size blade silhouette</p>

Viking — Stihl










Part No	Description	Replaces OEM	Image
17-5881 	Stihl Viking blade and bolt set, skin packed for display Fits: Stihl Viking 18" (457 mm) and 21" (535 mm) cut 1998 Rear Catcher Models including, MB424Q, MB425, MB425M, MB425I, MB455 from Serial No 40505282, MB455SP from Serial No. 40074410, MB460SP from serial No. 40506782. Flat blades with formed flute and domed bolt holes, right hand cut. Length: 3 1/2" (89 mm) Width: 2" (50 mm) Hole: 1/2" (13 mm) 	6123 007 1000	 <p>Refer to Page 34 for actual size blade silhouette</p>

PLEASE NOTE: Blade lengths are measured from centre of bolt hole to tip of blade.




www.tuffcut.com.au



Viking — Stihl

Part No	Description	Replaces OEM	Image
17-5345  9 316596 067107	Viking - Stihl blade and bolt set, skin packed for display Fits: Viking - Stihl 18" (457 mm) cut rear catcher models using a blade carrier bar, including Turbo Cut "N" Catch MB434 and MB435 series. Stepped blades with formed flute and domed bolt holes. Length: 3 3/4" (95 mm) Width: 1 3/4" (44 mm) Hole: 1/2" (13 mm) 	6352 007 1000	 Refer to Page 33 for actual size blade silhouette
17-3238  9 316596 067060	Viking - Stihl blade and bolt set, skin packed for display (1 pair per pack) Fits: Early model Viking-Stihl 18" (457 mm) cut rear catcher models up until 1996 including MB440 and MB450. Flat blades with formed flute, right hand cut. Length: 3 3/4" (95 mm) Width: 1 1/2" (38 mm) Hole: 1/2" (13 mm) 	6105 183 6070	 Refer to Page 31 for actual size blade silhouette
17-3238/4  9 316596 074372	Above Viking-Stihl 17-3238 blade and bolt set, skin packed for display in a two pair per pack option 	6105 183 6070	 Refer to Page 31 for actual size blade silhouette




Weedeater / Flymo / Electrolux

Part No	Description	Replaces OEM	Image
17-5546  9 316596 067114	Weedeater / Flymo / Electrolux blade and bolt set, skin packed for display Fits: Weedeater / Flymo / Electrolux 19" (483 mm) cut rear catcher models including RL480 series, RL488 series and FC378 series and Weedeater WE480 series. Flat blades with formed flute and domed bolt hole. Length: 4 1/4" (107 mm) Width: 1 3/4" (44 mm) Hole: 9/16" (14 mm) 	288151	 Refer to Page 33 for actual size blade silhouette

World Mowers

Part No	Description	Replaces OEM	Image
17-3620  9 316596 067091	World Mowers blade and bolt set, skin packed for display Fits: World 18" (457 mm), 20" (508 mm) and 22" (560 mm) cut rear catcher models including XSS46, XSZ56, WYS20, WYZ20, WYZ22 model series. Stepped blades with formed flute and offset bolt hole. Length: 4 7/8" (124 mm) Width: 1 3/4" (44 mm) Hole: 5/8" (16 mm) 	Honda 06720-VA3-K00 L1238-HRU-001 Rover 1800081	 Refer to Page 32 for actual size blade silhouette

Rockwell & Ross

PART NO	DESCRIPTION	REPLACES OEM	IMAGE
17-7652  9 316596 092567	Rockwell & Ross blade and bolt set, skin packed for display Fits: Rockwell 46 cm cut rear catcher RG8072 and RG8089 green chassis model domestic lawn mowers. Fits: Ross 18" (460 mm) cut rear catcher 139 cc four stroke engine, orange chassis domestic lawn mower models. 	Rockwell RW8656	 Refer to Page 33 for actual size blade silhouette

PLEASE NOTE: Blade lengths are measured from centre of bolt hole to tip of blade.













www.tuffcut.com.au







Ride-On and Slasher Blade Sets

Ride-On & Slasher Blade Sets









Cox

Part No	Description	Replaces OEM	Image
18-5543  9 316596 067244	Cox blade and bolt set, skin packed for display Fits: Cox 28" (711 mm) cut Orion, Scout, Stockman ride on lawn mower models. Stepped and high fluted blades right hand cut. Length: 5 15/16" (150 mm) Width: 2" (50 mm) Hole: 1/2" (13 mm)  Standard Pack 1 Pair	SKIT33 	 Refer to Page 37 for actual size blade silhouette
18-5549  9 316596 067275	Cox blade and bolt set, skin packed for display Fits: Cox 25" (635 mm) and 28" (711mm) cut Mowmobile 5-25 and Scout models and Cox 38" (965 mm) cut Nova models. Standard duty stepped and fluted right hand cut blades. Length: 5 3/8" (136 mm) Width: 1 7/8" (47 mm) Hole: 1/2" (13 mm)  Standard Pack 1 Pair	SKIT39 	 Refer to Page 37 for actual size blade silhouette
18-5544  9 316596 067251	Cox blade and bolt set, skin packed for display Fits: Cox 32" (812 mm) cut Orion XL, Nova, Supa Nova and Stockman models. Stepped and high fluted blades, right hand cut. Length: 7 3/4" (198 mm) Width: 2" (50 mm) Hole: 1/2" (13 mm)  Standard Pack 1 Pair	SKIT55 	 Refer to Page 37 for actual size blade silhouette

Jetfast / Supa-Swift

Part No	Description	Replaces OEM	Image
18-5543  9 316596 067244	Jetfast / Supa-Swift blade and bolt set, skin packed for display Fits Jetfast / Supa-Swift Supa Bob 24" (610 mm) cut side discharge slasher models. Stepped and high fluted blades right hand cut. Length: 5 15/16" (150 mm) Width: 2" (50 mm) Hole: 1/2" (13 mm)  Standard Pack 1 Pair		 Refer to Page 37 for actual size blade silhouette

Rover

Part No	Description	Replaces OEM	Image
18-5541  9 316596 067220	Rover blade and bolt set, skin packed for display Fits: Rover 30" (762 mm) and 38" (965 mm) cut Colt, Lawn King, Raider, Rancher and Ranger ride on lawn mower models. Flat blades with no flute right hand cut. Length: 5 1/2" (140 mm) Width: 2" (50 mm) Hole: 1/2" (13 mm)  Standard Pack 1 Pair (Use with one set of our 18-5540 fluted blade and bolt set)	A01656/673K 	 Refer to Page 36 for actual size blade silhouette
18-5540  9 316596 067213	Rover blade and bolt set, skin packed for display Fits: Rover 30" (762 mm) and 38" (965 mm) cut Colt, Lawn King, Raider, Rancher and Ranger ride on lawn mower models. Flat and fluted right hand cut blades. Length: 5 1/2" (140 mm) Width: 2" (50 mm) Hole: 1/2" (13 mm)  Standard Pack 1 Pair (Use with one set of our 18-5541 flat blade and bolt set)	A07873/673K 	 Refer to Page 36 for actual size blade silhouette

PLEASE NOTE: Blade lengths are measured from centre of bolt hole to tip of blade.





www.tuffcut.com.au

Domestic Edger Blades







Domestic Edger Blades

Homelite

Part No	Description	Replaces OEM	Image
13-5445 	Homelite Edger Blade Fits: E200 and PSE300 models. Length: 8 3/4" (222 mm) Width: 2" (50 mm) Hole: 1" (25 mm) 	D04359 03842	 

Echo/ Ryobi / Stihl




Part No	Description	Replaces OEM	Image
13-3555 	Echo Edger Blade Fits: Selected Echo models. Also fits: Ryobi edger models: LE720R, Stihl FC72 / FC74 trimmers (Edger) and select Shindaiwa models Length: 7 11/16" (195 mm) Width: 2" (50 mm) Hole: 1" (25 mm) 	Echo 720-237-001 Ryobi 147315 / 613223 Stihl 4113 713 4101	 

Fuel System Accessories






Fuel System Accessories







Briggs & Stratton

Part No	Description	Replaces OEM	Image
51-639 	Briggs & Stratton In-Line Fuel Filter (Red) for 1/4" fuel line, 150 micron 1/4" Barbs Length: 1 3/4" Diameter: 1 3/8" 	Briggs & Stratton 298090 John Deere PT4265 Toro 42-5240 Snapper 1-4359 Scag 48057-02	

Victa

Part No	Description	Replaces OEM	Image
44-6430 	Victa Plastic Tap Fits: All Victa two stroke lawn mower models from 1970 onwards. Also fits Rover models with Suzuki two stroke engines fitted. Tap comes with 12" (304 mm) of fuel line. 	Victa HA25396 EN72866U Rover A03419	

Primer Bulb

Part No	Description	Replaces OEM	Image
49-5652 	Walbro / Ryobi / McCulloch / Stihl Primer Bulb Genuine Walbro with two fuel pipes & two press fit locating tabs. Fits Ryobi Grass Scorpion, Lawn Hornet, Scrub Hornet, Stinger Scorpion, Weed Hornet / Stihl FS36, FS44 etc. 	Walbro 188-512 188-512-1 Ryobi 683974	
49-6264 	HOMELITE Tank Grommet & Fuel Line Assembly Fuel Line 8"x 1/8" Primer Line 6" x 1/8" Also Suits Ryobi 		

PLEASE NOTE: Blade lengths are measured from centre of bolt hole to tip of blade.

www.tuffcut.com.au







QLD: 1300 363 004 | NSW: 1300 363 005 | VIC: 1300 760 480 | TAS: (03) 6391 8058 | SA: 1300 781 352 | WA: 1300 307 574

Copyright © 2017 Roy Gripske & Sons Pty. Ltd. All Rights Reserved. #141



Fuel System Accessories







Fuel Line

Part No	Description	Size	Image
44-7887 	Tygon Fuel Line <ul style="list-style-type: none"> • Maintains air tight seal even in extreme temperatures • Resists swelling or hardening • Translucent material allows inspection of flow • Will not harden, crack or swell 	Inside Diameter: 2.5mm ID Length: 1 metre Outside Diameter: 5mm OD	
44-7889 	Tygon Fuel Line 1M - 2mm ID x 4mm OD <ul style="list-style-type: none"> • Maintains air tight seal even in extreme temperatures • Resists swelling or hardening • Translucent material allows inspection of flow 	Inside Diameter: 2mm Length: 1 metre Outside Diameter: 5mm	



Tubes

Tubes










Tubes			
Part No	Description	Size	Image
42-1074 	Inner Tube, Straight Stem Valve (TR13) 	400 x 8"	
42-6426 	Tube 300 x 8" Straight Stem (TR13) Valve Type: TR13 	300 x 8"	



Wheels

Wheels

Universal Lawn Mower and BBQ Wheel Kits







Part No	Description	Image
30-6606 	6" Universal Wheel Kit Ideal for many lawn mower and BBQ applications. Includes 2 x 3/8", 1/2" and 9/16" bushes 	
30-6607 	7" Universal Wheel Kit Ideal for many lawn mower and BBQ applications. Includes 2 x 3/8", 1/2" and 9/16" bushes 	
30-6608 	8" Universal Wheel Kit Ideal for many lawn mower and BBQ applications. Includes 2 x 3/8", 1/2" and 9/16" bushes 	



Starter Rope and Handles

Starter Rope

Starter Parts


Part No	Description	Replaces OEM	Image
28-1203 	Universal Starter Rope with Handle Victa Type Fits: all Victa 2 stroke models. 	ST12572A (Handle) ST12038A (Rope)	
28-995 	Victa Starter Rope Fits: all Victa 2 stroke models from 1953 onwards 3.5mm Diameter Approx. 55" (1397 mm) 	Victa ST12038A	

www.tuffcut.com.au



ALUMINIUM FOLDING RAMPS

All Aluminium Arched Folding Lightweight Ramps.




Standard Pack 1 Pair

680
KG

CAPACITY (PAIR)

TOL7713

- Extended 2.3 m x 0.3 m (Folded 1.2 m x 0.3 m)
- 680 KG Capacity when used as a pair.



TUFFCUT® Hex Shaped Trimmer Line



APPLICATION CHART











LIME	Small Electric Trimmers
BLUE	Small to Medium Electric Trimmers
GREEN	Large Electric and Small Petrol Trimmers to 20 cc
ORANGE	Small to Medium Petrol Trimmers, 20 to 30 cc
RED	Medium to Large Petrol Brushcutters, 25 to 35 cc
BLACK	Large Heavy-Duty Brushcutters, 35 cc and larger



TUFFCUT® quality nylon trimmer line is available in three types of easy to use, clear dispenser packs that help keep the line free from tangles and allow you to see how much line is left in the pack.

TUFFCUT® Hex Shaped Trimmer Line

TUFFCUT® Trimmer Line - Teardrop Loops

Part No	Description	Image
32-5518 	15 m .050"/ 1.3 mm - Lime Standard Pack 1 Box Quantity 12 Loops	
32-5519 	15 m .065"/ 1.7 mm - Blue Standard Pack 1 Box Quantity 12 Loops	
32-5520 	15 m .080"/ 2.0 mm - Green Standard Pack 1 Box Quantity 12 Loops	
32-5521 	12 m .095"/ 2.4 mm - Orange Standard Pack 1 Box Quantity 12 Loops	
32-5522 	9 m .105"/ 2.7 mm - Red Standard Pack 1 Box Quantity 12 Loops	
32-5523 	7 m .130"/ 3.3 mm - Black Standard Pack 1 Box Quantity 12 Loops	



www.tuffcut.com.au

QLD: 1300 363 004 | NSW: 1300 363 005 | VIC: 1300 760 480 | TAS: (03) 6391 8058 | SA: 1300 781 352 | WA: 1300 307 574
























Copyright © 2017 Roy Gripske & Sons Pty. Ltd. All Rights Reserved. #141


























TUFFCUT® Hex Shaped Trimmer Line

TUFFCUT® Hex Shaped Trimmer Line

TUFFCUT® Trimmer Line - 225g (1/2 lb) Donut

Part No	Description	Image
32-5524  9 316596 067794	92 m .065" / 1.7 mm - Blue  Standard Pack 1  Box Quantity 12 Donuts 	  
32-5525  9 316596 067800	61 m .080" / 2.0 mm - Green  Standard Pack 1  Box Quantity 12 Donuts 	
32-5526  9 316596 067817	43 m .095" / 2.4 mm - Orange  Standard Pack 1  Box Quantity 12 Donuts 	
32-5527  9 316596 067824	35 m .105" / 2.7 mm - Red  Standard Pack 1  Box Quantity 12 Donuts 	
32-5528  9 316596 067831	23 m .130" / 3.3 mm - Black  Standard Pack 1  Box Quantity 12 Donuts 	

TUFFCUT® Trimmer Line - 450g (1lb) Donut

Part No	Description	Image
32-5529  9 316596 069958	184 m .065" / 1.7 mm - Blue  Standard Pack 1  Box Quantity 12 Donuts 	  
32-5530  9 316596 067855	122 m .080" / 2.0 mm - Green  Standard Pack 1  Box Quantity 12 Donuts 	
32-5531  9 316596 067862	87 m .095" / 2.4 mm - Orange  Standard Pack 1  Box Quantity 12 Donuts 	
32-5532  9 316596 067879	70 m .105" / 2.7 mm - Red  Standard Pack 1  Box Quantity 12 Donuts 	
32-5533  9 316596 067886	46 m .130" / 3.3 mm - Black  Standard Pack 1  Box Quantity 12 Donuts 	

www.tuffcut.com.au



Homelite / McCulloch / Ryobi / Talon

Part No	Description	Replaces OEM	Image
21-6218	<p>Homelite / Ryobi / McCulloch and Talon Nylon bump feed head and Head Adaptor Kit.</p> <p>New multi-fit kit to suit all four major brands of bent shaft machines.</p> <p>Kit Includes :</p> <ul style="list-style-type: none">• 3/8" speed clip locating washer.• Multi-fit adaptor (large) to suit Ryobi• Multi-fit adaptor (small) to suit Homelite, McCulloch and Talon.• A small shaft washer to suit late model Ryobi machines.• Tap and Go bump feed nylon head. <p> Standard Pack 1</p>		

Universal Alloy Head

Part No	Description	Replaces OEM	Image
19-1220	<p>Universal Alloy Brushcutter head Supplied with Adaptor Washers</p> <p>Fits 8 mm, 10 mm and 15 mm applicatons or can be drilled to suit any sized shaft. Suits straight shaft models, use with pre-cut lengths of nylon.</p> <p> Standard Pack 1</p>		


























Chainsaw Loops and Tools

Chain Loops

TUFFCUT® Combo Part No	Chainsaw Chain	Chain Pitch	Bar Length	Chain Gauge	Drive Link Count
48-91VXL-56DL  9 316596 087938	Dolmar, Echo, Efco, Homelite, Husqvarna, Jonsered, Komatsu Zenoah / Redmax, Makita, Poulan / Poulan Pro, Shindaiwa (SDK), Skil, Tanaka, Zenoah (Komatsu) / Redmax  Standard Pack 1	3/8" Low Profile	16" 40 cm	.050"	56DL

PLEASE CONTACT REP FOR OTHER AVAILABLE CHAIN LENGTHS

Chainsaw Tools

Part No	Description	Image
48-70504  9 316596 088973	5/32" (4.0mm) Round File suitable for sharpening 1/4" and 3/8" low profile chainsaw chains  Standard Pack 3	
48-70503  9 316596 088966	3/16" (4.8mm) Round File suitable for sharpening .325" pitch chainsaw chains  Standard Pack 3	
48-70502  9 316596 088942	7/32" (5.5mm) Round File suitable for sharpening 3/8" standard and .404" pitch chainsaw chains  Standard Pack 3	
29-3885  9 316596 088867	Round Hole File Handle suitable for chainsaw files  Standard Pack 1	
29-6375  9 316596 072477	5/32" Super Pro Chainsaw Sharpener, "V" shaped file guide comes complete with file Suits: 1/4" and 3/8" low profile chain pitches. Packed in a retail display pack, with full instructions for correct use printed on the back.  Standard Pack 1	
29-6378  9 316596 072484	3/16" Super Pro Chainsaw Sharpener, "V" shaped file guide comes complete with file Suits: .325" chain pitches. Packed in a retail display pack, with full instructions for correct use printed on the back.  Standard Pack 1	
29-6381  9 316596 072491	7/32" Super Pro Chainsaw Sharpener, "V" shaped file guide comes complete with file Suits: 3/8" Standard and .404" chain pitches. Packed in a retail display pack with, full instructions for correct use printed on the back  Standard Pack 1	






Spark Plug Accessories

Spark Plug Covers

Part No	Description	Replaces OEM	Image
39-2812  9 316596 069965	Victa Late Red Type Plug Cover as used on Victa Powertorque engines  Standard Pack 1	MA05370A	




Spark Plug Spanners

Part No	Description	Image
29-2595  9 316596 068159	Universal Spark Plug Wrench with Tommy Bar Handle Double ended 3/4" (19 mm) x 13/16" (21 mm)  Standard Pack 1	

www.tuffcut.com.au



T-Wrenches

Part No	Description	Image
29-23414 	T-Wrench - 13 x 19 mm - Combination Spanner Packed for hanging display. Fits: many Echo, Husqvarna, Jonsered, Oleo-Mac, Partner, Poulan, Shindaiwa and Stihl chainsaw models including: Echo CS451, CS452, CS500, CS510, CS550, CS601, CS602, CS610, CS650, CS660, CS701, CS750, CS900, 3900, 4000, 4500, 4600, 5000, 5500, 6700, 8000. Husqvarna 32, 38, 44, 60, 61, 65, 65F, 77, 160, 161, 162, 180, 181, 185, 240, 254, 262, 266, 268, 281, 285, 288, 298, 380, 1100, 2100, 2101, 3120. Oleo-Mac 250, 251, 251S, 252, 254, 264, 350, 355, 938F, 941F, 942F, 946F, 950F, 951F, 970F. Partner S50, S55, S65, P360, P400, P420, P450, P500, P5000, P7000. Poulan 25 series, 285, 305, 335, 336, 365, 1800, 2000, 2300, 2800, 3000, 4000, 6900, 7700, 8500. Shindaiwa 550, 575, 680, 685, 695. Stihl 009, 010, 011, 012, 021, 023, 024, 025, 026, 028, 028, 029, 031, 032, 034, 036, 038, 039, 041, 042, 044, 045, 046, 048, 056, 064, 066, 084. 	




Spark Plugs



NGK Spark Plugs

Part No	Description	Replaces OEM	Image
12-BMR6A 	NGK Spark Plug Equivalent to: Champion RCJ8, Bosch WS8E 	BMR6A	
12-BPR5ES 	NGK Spark Plug Equivalent to: Champion RN11YC4, Bosch WR8DCW 	BPR5ES	
12-BPMR6A 	NGK Spark Plug Equivalent to: Champion RCJ8Y 	BPMR6A	
12-BPMR7A 	NGK Resistor Spark Plug Equivalent to: Champion RCJ6Y, Bosch WSR6F 	BPMR7A	
12-BPR6ES 	NGK Spark Plug Equivalent to: Champion RN9YC 	BPR6ES	
12-BR2LM 	NGK Resistor Spark Plug Equivalent to: Champion RJ19LM, WR11EO 	BR2LM	
12-CMR5H 	NGK CMR5H Spark Plug Equivalent to: Champion RZ7C 	CMR5H	

Champion Spark Plugs



















Part No	Description	Replaces OEM	Image
12-CJ8 	Champion Spark Plug Equivalent to: NGK BM6A, Bosch WS8E 	CJ8	



Spark Plugs

Spark Plugs

Champion Spark Plugs

















Part No	Description	Replaces OEM	Image
12-DJ7Y  9 316596 069699	Champion Spark Plug Equivalent to: NGK BPM6F, Bosch HS7F 	DJ7Y	
12-DJ8J  9 316596 068098	Champion Spark Plug Equivalent to: NGK BM6F, Bosch HS8E 	DJ8J	
12-RCJ7Y  9 316596 089598	Champion Spark Plug Equivalent to: NGK BPMR7A, Bosch WSR6F 	RCJ7Y	
12-CJ7Y  9 316596 089628	Champion Spark Plug Equivalent to: NGK BPM7A, Bosch WS7F 	CJ7Y	
12-RC12YC  9 316596 089604	Champion Spark Plug Equivalent to: NGK BKR5E, Bosch FR8DC 	RC12YC	
12-RJ19LM  9 316596 089611	Champion Resistor Spark Plug Equivalent to: NGK BR2-LM, Bosch WR11EO 	RJ19LM	



Fuel Containers and Accessories

Fuel Containers and Accessories

Fuel Containers and Accessories

Part No	Description	Image
31-638M  9 316596 068012	2 Litre Fuel Can With Pourer and Child Proof Lid Metal Can with oil / fuel mixture ratio's printed on can.  	
31-638  9 316596 068005	5 Litre Fuel Can With Pourer and Child Proof Lid Metal Can with oil / fuel mixture ratio's printed on can.  	
FUE6563  9 316596 077243	Scepter Full 5 litre Capacity Plastic Jerry Can Australian Standards Approved and Certified. Ergo Dynamic Handle - Easy to pour. Spout - System for continuous flow with breather tube. Child proof closure.  	
FUE7495  9 316596 090082	Scepter Full 5 litre Capacity Plastic Jerry Can - 2 Stroke Australian Standards Approved and Certified. Ergo Dynamic Handle - Easy to pour. Seperate vent cap. Spout - System for continuous flow with breather tube. Child proof closure.  	

www.tuffcut.com.au







Part No	Description	Image
FUE3831 	Scepter Fuel and Oil Combination Can 6L/2.5L Plastic Type (Red) Australian Standards Approved and Certified. Ergo Dynamic Handle - Easy to pour. No Vent Cap. Spout - System for continuous flow with breather tube. Child proof closure. <div> <div>Standard Pack</div> <div>1 Can</div> </div> <div> <div>Box Quantity</div> <div>6 Cans</div> </div>	
FUE5390 	Scepter 10 Litre Plastic Jerry Can with Pourer (Red) Australian Standards Approved and Certified Ergo Dynamic Handle - Easy to pour. Spout - System for continuous flow with breather tube. Child proof closure. <div> <div>Standard Pack</div> <div>1 Can</div> </div> <div> <div>Box Quantity</div> <div>6 Cans</div> </div>	
FUE7731 	Scepter 10 Litre Plastic Jerry Can with Pourer (green)- 2 Stroke Australian Standards Approved and Certified Ergo Dynamic Handle - Easy to pour. Spout system for continuous flow with breather tube. Child proof closure. <div> <div>Standard Pack</div> <div>1 Can</div> </div> <div> <div>Box Quantity</div> <div>6 Cans</div> </div>	
FUE5628 	Scepter 20 Litre Plastic Jerry Can (Red) Australian Standards Approved and Certified. Ergo Dynamic Handle - Easy to pour. Spout - System for continuous flow with breather tube. Child proof closure. <div> <div>Standard Pack</div> <div>1 Can</div> </div> <div> <div>Box Quantity</div> <div>4 Cans</div> </div>	
FUE6105 	Scepter 20 Litre Plastic Jerry Can (Yellow) Suits Diesel. Australian Standards Approved and Certified. Ergo Dynamic Handle - Easy to pour. Spout - System for continuous flow with breather tube. Child proof closure. <div> <div>Standard Pack</div> <div>1 Can</div> </div> <div> <div>Box Quantity</div> <div>4 Cans</div> </div>	
FUE7825 	Scepter 20 Litre Plastic Jerry Can (Blue) Military style jerry can for transporting water. Ergo Dynamic Handle - easy to pour. Spout system for continuous flow with breather tube. Child proof closure. <div> <div>Standard Pack</div> <div>1 Can</div> </div> <div> <div>Box Quantity</div> <div>4 Cans</div> </div>	
FUE5830 	Scepter replacement pouring spout and cap kit Suits most Scepter fuel containers. <div> <div>Standard Pack</div> <div>1</div> </div>	
31-6409 	4-in-1 Funnel Set Sizes range from 1 3/4" to 4 1/4" diameter. Ideal for use with lawn mowers, small engines and chainsaws, etc. <div> <div>Standard Pack</div> <div>1 Set</div> </div>	
FUE7767 	Drinking Water Identification Tags White Plastic Ensure safety by never mixing up which liquid you have in a container again with these handy plastic tags. <div> <div>Standard Pack</div> <div>10</div> </div>	



Fuel Containers and Accessories

Fuel Containers and Accessories

Fuel Containers and Accessories

Part No	Description	Image
FUE7784  9 316596 096442	Blank Identification Tags White Plastic Ensure safety by never mixing up what liquid you have in a container again with these handy plastic tags that you can write on with a permanent marker.  Standard Pack 10	
FUE7769  9 316596 096428	Fuel & Container Identification Tags Combo Pack Includes: <ul style="list-style-type: none"> • 2 stroke 25:1 dark green tag x 1 • Unleaded red tag x 1 • Diesel gold tag x 1 • Drinking water white tag x 1 • Blank white tag x 1 Colour coded to AFAC (Australasian Fire and Emergency Service Authorities Council) standardised fuel container colours. Ensure safety and stop costly repair bills by never mixing up what liquid or fuel you have in a container again with these handy plastic tags.  Standard Pack 5 Tags	



Oils and Lubricants

Oils and Lubricants











Oil you can trust!

Try our premium range of oils from





SAE30 Four Stroke Oil

Part No	Description	Image
34-6001  9 316596 068029	1 Litre 4 Stroke Oil SAE30 Suits many Briggs & Stratton engine models etc. Always refer to the engine manufacturers manual for the correct oil specifications to suit your engine.  Standard Pack 1  Box Quantity 12 Bottles	
34-6002  9 316596 068036	4 Litre 4 Stroke Oil SAE30 Suits many Briggs & Stratton engine models etc. Always refer to the engine manufacturers manual for the correct oil specifications to suit your engine.  Standard Pack 1  Box Quantity 4 Bottles	





www.tuffcut.com.au













SAE10w-40 Four Stroke Oil

Part No	Description	Image
34-6120  9 316596 073979	1 Litre 4 Stroke Oil - 10w-40 Suits many Honda, Kawasaki and Kohler engine models. Always refer to the engine manufacturers manual for the correct oil specifications to suit your engine. Standard Pack 1 Box Quantity 12 Bottles	

Chainsaw Bar and Chain Oil

Part No	Description	Image
34-6008  9 316596 068067	1 Litre Bar and Chain Oil With a special tack additive to keep the oil hanging onto the chainsaws bar and chain as long as possible. Standard Pack 1 Box Quantity 12 Bottles	
34-6009  9 316596 068074	4 Litre Bar and Chain Oil With a special tack additive to keep the oil hanging onto the chainsaws bar and chain as long as possible. Standard Pack 1 Box Quantity 4 Bottles	

Two Stroke Oil

Part No	Description	Image
34-6184  9 316596 074242	200ml 2 stroke Oil Refer to your owners manual for the correct fuel / oil mixing ratio for your equipment. Standard Pack 1 Box Quantity 24 Bottles	
34-6005S  9 316596 068043	1 Litre 2 Stroke Oil - Chamber Pack Refer to your owners manual for the correct fuel / oil mixing ratio for your equipment. Standard Pack 1 Box Quantity 12 Bottles	
34-6006  9 316596 068050	4 Litre 2 Stroke Oil Refer to your owners manual for the correct fuel / oil mixing ratio for your equipment. Standard Pack 1 Box Quantity 4 Bottles	
34-6796  9 316596 088706	Two Stroke Fuel Mixing Bottle Mixes 1 litre of fuel to 25:1, 32:1, 40:1 and 50:1 ratios. Simply fill fuel to the one litre mark then add two stroke oil to the recommended ratio as per the equipment manufacturers specifications. Ideal for brushcutters, trimmers, chainsaws and lawn mowers. Please note that this is a fuel mixing container not a fuel transport container. Standard Pack 1	
31-7442  9 316596 102037	Oil Change Service Kit Oil change service kit, makes oil changes a breeze! Ideal for all garden products that feature a four stroke petrol engine. This kit contains a pump and tube which is used to extract the used oil from the engine. Then simply pump the used oil into the supplied container, where it can then be safely disposed of. Finally use the supplied funnel to refill fresh oil to the engine. Box Quantity 1 Pack	

Litres of Petrol to Millilitres of Oil





Petrol : Oil Ratio	1 L	5 L	10 L	20 L
20:1	50ml	250ml	500ml	1000ml
24:1	40ml	210ml	415ml	835ml
25:1	40ml	200ml	400ml	800ml
32:1	30ml	155ml	315ml	625ml
40:1	25ml	125ml	250ml	500ml
50:1	20ml	100ml	200ml	400ml

2 Stroke Fuel Mixing Table



Safety Equipment

Safety Equipment

Part No	Description	Image
23-5403  9 316596 067312	Overboot Standard cotton drill overboots keeps grass, seeds and sawdust etc. out of your boots. Standard Pack 1 Pair	
23-6572  9 316596 088393	Face Shield and Earmuff Kit Wire mesh tilt up face shield and ear muff kit, features brow guard for extra protection. American and European (ANSI & CE) safety standards approved. Standard Pack 1	



Gator Maul

Gator Maul

GATOR MAUL





The Gator 8 LB fibreglass handle wood splitting Maul Splitter head is bonded into place with industrial strength resin glue for the tightest possible fit.

Splitter head has the Gator Breaka, a diamond shaped wedge formed on one side to reduce jamming in the wood. The fibreglass handle and rubber grip is designed to be extremely strong whilst absorbing impact shocks.



GATOR MAUL

Part No	Description	Image
29-6791  9 316596 089000	The Gator 8 lb Fibreglass Handle Wood Splitting Maul Splitter head is bonded into place with industrial strength resin glue for the tightest possible fit. Splitter head has the Gator Breaka, to reduce jamming in the wood. The fibreglass handle and rubber grip is designed to be extremely strong whilst absorbing impact shocks. Standard Pack 1 Box Quantity 6	

TUFFCUT spares are precision engineered fast moving parts designed for our Tuff Australian conditions



www.tuffcut.com.au



TRAILER: POLY GARDEN CART



Converts from a trailer to a wheel barrow in one easy step. Ideal for towing behind ATV's, Ride-On lawn mowers or pushed as a wheel barrow.


CRT7729


- Wide wheels
- Heavy-duty rust proof tipping tray
- Quality 6203RZ sealed ball bearings fitted to rims
- Solid Steel frame
- Load Capacity: 300kg when used as a wheel barrow or 200kg when used as a trailer

CRT7727


- Narrow wheels
- Heavy-duty rust proof tipping tray
- Solid Steel frame
- Bearing wheels
- Load Capacity: 300kg when used as a wheel barrow or 200kg when used as a trailer

E-Z Reacher



Get far reaching results with

E-Z Reacher[®] PRO

PICK UP TOOL

Nimble enough to pick up a coin...



Yet strong enough to pick up a brick!



EZR5562
Replacement cups for E-Z Reacher

The E-Z Reacher[®] Pro is the heavy duty, no-rust tool for the toughest jobs in industrial and maintenance settings.

You will be able to easily pick up everything from broken glass to a brick without painful bending, and hold it firmly and safely with the included locking feature. Anyone wanting to work more quickly, efficiently and safely needs this professional grade tool.



EZR6564
Length: 40"
(100 cm)

EZR6553
Length: 32"
(80 cm)

Pick Up Tools

Part No	Description	Image
EZR6553 	32" E-Z Reacher Pro 	<ul style="list-style-type: none"> • Ergonomic design. • Rounded body with no 'wings'. • Heavy-duty locking mechanism. • Soft over-trigger prevents friction.
EZR6564 	40" E-Z Reacher Pro 	<ul style="list-style-type: none"> • Ergonomic design. • Rounded body with no 'wings'. • Heavy-duty locking mechanism. • Soft over-trigger prevents friction.
EZR5562 	Replacement Cups replacement cups for E-Z Reacher 	

www.tuffcut.com.au

QLD: 1300 363 004 | NSW: 1300 363 005 | VIC: 1300 760 480 | TAS: (03) 6391 8058 | SA: 1300 781 325 | WA: 1300 307 574

Copyright © 2017 Roy Gripske & Sons Pty. Ltd. All Rights Reserved. #141

OEM to TUFFCUT® Part Number Cross Reference

OEM Number	TUFFCUT®	Page
Briggs & Stratton		
399959	10-7905	1, 2
491588S	10-7905	1, 2
491588	10-7905	1, 2
271933	10-7905	1, 2
491435	10-7905	1, 2
272235	10-3771	1
298090	51-639	11
698369	10-6497	1
Champion		
CJ7Y	12-CJ7Y	18
CJ8	12-CJ8	17
DJ7Y	12-DJ7Y	18
DJ8J	12-DJ8J	18
RCJ7Y	12-RCJ7Y	18
RC12YC	12-RC12YC	18
RJ19LM	12-RJ19LM	18
Cox		
SKIT33	18-5543	10
SKIT39	18-5549	10
SKIT55	18-5544	10
Echo		
720-237-001	13-3555	11
Electrolux		
288151	17-5546	3, 9
Flymo		
288151	17-5546	3, 9
Homelite		
D04359	13-5445	11
03842	13-5445	11
Honda		
06720-VA3-K00	17-3620	4
06720-VJ9-600	17-6402	4
L1238-HRU-001	17-3620	4
17211-ZL8-000	10-7905	1, 2
17211-ZL8-003	10-7905	1, 2
17211-ZL8-023	10-7905	1, 2
17218-22A-000	10-7905	1, 2
06720-VA3-K00	17-3620	4, 6, 9, 32
Jetfast / Supa Swift		
900173	17-3234	4, 7
900174	17-3234	4, 7
900321	17-3236	4, 7

OEM Number	TUFFCUT®	Page
900331	17-3236	4, 7
John Deere		
PT4265	51-639	11
Masport / Morrison		
529578	17-3237	4
529594	17-5345	5
590013	18-5540	5
980555	18-5540	5
Morrison / Masport		
529578	17-3237	4
529594	17-5345	5
590013	18-5540	5
980555	18-5540	5
NGK		
BMR6A	12-BMR6A	17
BPR5ES	12-BPR5ES	17
BPMR6A	12-BPMR6A	17
BPMR7A	12-BPMR7A	17
BPR6ES	12-BPR6ES	17
BR2LM	12-BR2LM	17
CMR5H	12-CMR5H	17
MTD / Yardman		
742-1921	18-5543	5
753-9006	17-5881	5
Oregon		
91VXL-56	48-91VXL-56DL	16
Rockwell		
RW8656	17-7652	9
Rover		
A01118/672K	17-3238/4	6
A01118/672K	17-3238	5
A03189	10-1826	2
A03830/672K	17-5696	6
1800081	17-3620	6
A07873/673K	18-5540	10
A01656/673K	18-5541	10
L180130142-0001	10-7905	1, 2
L180130142-0001	10-7907	1, 2
A03419	44-6430	11
Ryobi		
683974	49-5652	11
147315/613223	13-3555	11
613223	13-3555	11

*The Australian Standards for rotary swing back lawn mower blades recommends that for safety reasons blades should be sold with bolt sets.

Bynorm/Stens to TUFFCUT® Part Number Cross Reference

OEM Number	TUFFCUT®	Page
Sanli		
PSS-LB1	17-7437	6
Scag		
48057-02	51-639	11
Snapper		
1-4359	51-639	11
Stihl		
4113 713 4101	13-3555	11
6105 183 6070	17-3238	7
6105 183 6070	17-3238/4	7, 9
6123 007 1000	17-5881	6, 8
6352 007 1000	17-5345	7, 9
Supa Swift / Jetfast		
900173	17-3234	4, 7
900174	17-3234	4, 7
900321	17-3236	4, 7
900331	17-3236	4, 7
Talon		
A09228305001	17-6374	7
Toro		
42-5240	51-639	11
Victa		
AF07276A	10-134	2
AF07282A	10-136	2
CA09277S	17-3245	8
CA09319S	17-6490	8
CA09351S	17-3245	8
CA09393S	17-6490	8
CA09434S	17-5883	8
CA09434S	17-6328	8
CA09506S	17-3242	8
EN72866U	44-6430	11
HA25396	44-6430	11
MA05370A	39-2812	16
ST12038A	28-1203	12
ST12038A	28-995	12
ST12572A	28-1203	12
Viking - Stihl		
6105 183 6070	17-3238	7
6105 183 6070	17-3238/4	7
6123 007 1000	17-5881	6
6352 007 1000	17-5345	7
4113 713 4101	13-3555	11

OEM Number	TUFFCUT®	Page
Walbro		
188-512	49-5652	11
188-512-1	49-5652	11
Weedeater		
288151	17-5546	3, 9
Yardman / MTD		
742-1921	18-5543	5
753-9006	17-5881	5
Bynorm Number	TUFFCUT® Number	Page
080-012P	30-6606 (wheel kit with bushes)	12
080-013P	30-6607 (wheel kit with bushes)	12
080-039P	30-6608 (wheel kit with bushes)	12
100-001P	17-5546	3, 9, 33
100-016P	17-3620	3, 4, 6, 9, 32
100-017P	17-3620	3, 4, 6, 9, 32
100-023P	17-5881	2, 5, 6, 8, 34
100-040P	18-5541	10, 36
100-041P	18-5540	5, 10, 36
100-054P	17-3245	8, 32
100-056P	17-3242	8, 32
100-058P	17-6490	3, 8, 35
100-063P	17-3238	3, 5, 6, 7, 9, 31
100-063SHP	17-5696	6, 34
100-070P	17-5345	5, 7, 9, 33
100-084P	18-5543	5, 10, 37
100-089P	18-5544	10, 37
100-096P	17-3237	4, 31
100-097P	17-3234	4, 7, 31
100-099P	17-3236	3, 4, 7, 30
100-103P	17-6374	7, 35
100-255P	17-5883	8, 34

Bynorm/Stens to TUFFCUT® Part Number Cross Reference

Bynorm/Stens to TUFFCUT® Part Number Cross Reference

Bynorm Number	TUFFCUT® Number	Page
100-418P	17-6402	4, 35
100-423P	17-5881 X 2 QTY	2, 5, 6, 8, 34
100-455P	17-6328	8, 34
100-458P	17-6490 X 2 QTY	3, 8, 35
110-001P	17-5546 Blade & Bolt Set*	3, 9, 33
110-016P	17-3620 Blade & Bolt Set*	3, 4, 6, 9, 32
110-017P	17-3620 Blade & Bolt Set*	3, 4, 6, 9, 32
110-026P	17-3234 Blade & Bolt Set*	4, 7, 31
110-036P	17-3238 Blade & Bolt Set*	3, 5, 6, 7, 9, 31
110-040P	18-5541 Blade & Bolt Set*	10, 36
110-041P	18-5540 Blade & Bolt Set*	5, 10, 36
110-043P	18-5549 Blade & Bolt Set*	10, 37
110-054P	17-3245 Blade & Bolt Set*	8, 32
110-055P	17-3242 Blade & Bolt Set*	8, 32
110-058P	17-6490 Blade & Bolt Set*	3, 8, 35
110-062P	17-3236 Blade & Bolt Set*	3, 4, 7, 30
110-063P	18-5543 Blade & Bolt Set*	5, 10, 37
110-089P	18-5544 Blade & Bolt Set*	10, 37
110-095P	18-5540 Blade & Bolt Set*	5, 10, 36
110-096P	17-3237 Blade & Bolt Set*	4, 31
110-097P	17-5345 Blade & Bolt Set*	5, 7, 9, 33
310-020KP	28-1203	12
320-009P	10-3771	1

Bynorm Number	TUFFCUT® Number	Page
320-025KP	10-134	2
320-026KP	10-136	2
320-030P	10-1826	2
320-211P	10-6497	1
330-007KP	44-6430	11
330-050P	31-638	18
330-067	31-6409 (Kit of 4 Funnels)	19
330-068	31-6409 (Kit of 4 Funnels)	19
330-069	31-6409 (Kit of 4 Funnels)	19
330-070	FUE6563	18, 29
330-071	FUE5390	19, 29
330-072	FUE3831	18, 29
330-073	FUE5628	19, 29
330-075	FUE7495	18, 29
330-100	31-638M	18
370-075P	29-2595	12
375-BPMR7A	12-BPMR7A	17
375-BPR5ES	12-BPR5ES	17
375-CJ8MP	12-CJ8	17
375-DJ8JMP	12-DJ8J	18
375-RC12YC	12-RC12YC	18
375-RCJ7Y	12-RCJ7Y	18
375-RJ19LMMP	12-RJ19LM	18
380-008 Round Line (1.6mm x 106m)	32-5524 hex line (1.7 mm / .065" x 92 m)	14
380-009 Round Line (2.0mm x 65.5m)	32-5525 hex line (2.0 mm / .080" x 61 m)	14
380-010 Round Line (2.5mm x 38m)	32-5526 hex line (2.4 mm / .095" x 43 m)	14
380-011 Round Line (2.75mm x 30.4m)	32-5527 hex line (2.7 mm / .105" x 35 m)	14
380-021 Round Line (1.2mm x 15m)	32-5518 hex line (1.3 mm / .050" x 15 m)	13

www.tuffcut.com.au

Bynorm/Stens to TUFFCUT® Part Number Cross Reference

Bynorm/Stens Number	TUFFCUT® Number	Page
380-022 Round Line (1.6mm x 15m)	32-5519 hex line (1.7 mm / .065" x 15 m)	13
380-023 Round Line (2.0mm x 15m)	32-5520 hex line (2.0 mm / .080" x 15 m)	13
380-024 Round Line (2.5mm x 10m)	32-5521 hex line (2.4 mm / .095" x 12 m)	13
380-025 Round Line (2.75mm x 4m)	32-5522 hex line (2.7 mm / .105" x 9 m)	13
380-030 Round Line (1.6mm x 213m)	32-5529 hex line (1.7 mm / .065" x 184 m)	14
380-031 Round Line (2.0mm x 131m)	32-5530 hex line (2.0 mm / .080" x 122 m)	14
380-032 Round Line (2.5mm x 76.2m)	32-5531 hex line (2.4mm / .095" x 87m)	14
380-033 Round Line (2.75mm x 60.9m)	32-5532 hex line (2.7 mm / .105" x 70 m)	14
380-184P	21-6218	15
380-186P	21-6218	15
380-187P	21-6218	15
380-188P	21-6218	15
380-608 Starline (1.6mm x 80m)	32-5524 hex line (1.7 mm / .065" x 92 m)	14
380-609 Starline (2.0mm x 50m)	32-5525 hex line (2.0 mm / .080" x 61 m)	14
380-610 Starline (2.5mm x 39m)	32-5526 hex line (2.4 mm / .095" x 43 m)	14
380-611 Starline (2.75mm x 31m)	32-5527 hex line (2.7 mm / .105" x 35 m)	14
380-622 Starline (1.6mm x 26m)	32-5519 hex line (1.7 mm / .065" x 15 m)	13
380-623 Starline (2.0mm x 17.5m)	32-5520 hex line (2.0 mm / .080" x 15 m)	13
380-624 Starline (2.5mm x 11m)	32-5521 hex line (2.4 mm / .095" x 12 m)	13

Bynorm Number	TUFFCUT® Number	Page
380-625 Starline (2.75mm x 10m)	32-5522 hex line (2.7 mm / .105" x 9 m)	13
380-626 Starline (3.0mm x 8.5m)	32-5523 hex line (3.3 mm / .130" x 7 m)	13
380-631 Starline (2.0mm x 110m)	32-5530 hex line (2.0 mm / .080" x 122 m)	14
380-632 Starline (2.5mm x 73m)	32-5531 hex line (2.4 mm / .095" x 87 m)	14
380-633 Starline (2.75mm x 65m)	32-5532 hex line (2.7 mm / .105" x 70 m)	14
386-479P	19-1220	16
390-999	23-5403	12
690-101	29-23414	17
776-01256	48-91VX-56DL	16
777-001	34-6008	21
777-002	34-6005S chamber pack Two-Stroke Oil	21
777-003	34-6009	21
777-004	34-6006	21
777-005	34-6001	20
777-006	34-6002	20
777-014	34-6005S	21
777-015	34-6120	20
777-200	34-6184	21
779-011	29-6375	16
779-012	29-6378	16
779-013	29-6381	16
779-015P	48-70504 Files x 1Pkt & 29-3885 Handle x1	16
779-016P	48-70503 Files x 1Pkt & 29-3885 Handle x1	16
779-017P	48-70502 Files x 1Pkt & 29-3885 Handle x1	16
900-001P	17-5546	3,33
900-016P	17-3620	3,32

Bynorm/Stens to TUFFCUT® Part Number Cross Reference

Bynorm/Stens to TUFFCUT® Part Number Cross Reference

Bynorm Number	TUFFCUT® Number	Page
900-017P	17-3620	6, 32
900-023P	17-5881	6, 34
900-040P	18-5441	10, 36
900-041P	18-5440	10, 36
900-054P	17-3245	8, 32
900-056P	17-3242	8, 32
900-058P	17-6490	3, 8, 35
900-063P	17-3238	5, 7, 9, 31
900-0635HP	17-5696	6, 34
900-070P	17-5345	5, 7, 9, 33
900-084P	18-5543	5, 10, 37
900-089P	18-5544	10, 37
900-096P	17-3237	4, 31
900-097P	17-3234	4, 7, 31
900-099P	17-7667	3, 4, 7, 30
900-103P	17-6374	7, 35
900-255P	17-5883	8, 34
900-418P	17-6402	4, 35
900-423P	17-5881 (2 QTY)	3, 5, 6, 8, 34
900-455P	17-6328	8, 34
900-458P	17-6490 (2 QTY)	8, 35
910-020KP	28-1203	12
100-043P	18-5449	10, 37
330-095	FUE3831	19, 29
750-026	29-2595	16


Bynorm Number	TUFFCUT® Number	Page
886-479	19-1220	15
776-056	48-91VX-56DL	16
777-201	34-6184	21
320-032KP	10-7905 (With PreFilter)	1
102-713	10-7907	1
375-364	13-3555	11
120-188	51-639	11
120-311 (12 Pack)	51-639 (Single Filter)	11
615-764	49-5652	11
170-068	42-1074	12
310-018	28-995	12
390-023	23-6572	22
375-BMR6A	12-BMR6A	17
375-BPMR6A	12-BPMR6A	17
375-BPR6ES	12-BPR6ES	17
375-BR2LM	12-BR2LM	17
375-CMR5H	12-CMR5H	17
375-DJ74MP	12-DJ74MP	17
375-CJ7Y	12-CJ74	18
375-RJ19LMMP	12-RJ19LM	18
330-077	FUE6105	19
330-090	FUE7769	20
330-700	34-6796	21
370-028	39-2812	12

TUFFCUT® A-Z Reference

TUFFCUT® Catalogue Index	Page
Air Filters	1, 2
Alloy Brushcutter Heads	15
Bar & Chain Oil - Chainsaw	21
Blade & Bolt Sets - Domestic Push Mowers	3 – 9
Blade & Bolt Sets - Ride Ons & Slashers	10
Blades - Silhouettes, Actual size blade images	30 – 37
Boot Protectors	22
Bottle - Fuel Mixing	21
Brushcutter Heads	15
Brushcutter Heads & Knobs	15
Bulb - Primer, Trimmer	11
Bump Feed Nylon Heads	15
Carburettor Parts - Lawn mower	11
Carburettor Parts - Trimmer	11
Chain Loops - Chainsaw	16
Chainsaw Files	16
Chainsaw Sharpener	16
Chainsaw Tools	16, 17
Combination Spanners - Chainsaw	17
Covers - Spark Plug, Lawn Mower	16
Edger Blades	11
EZ Reacher - Pick Up Tool	23
Face Shield & Ear Muff Kit	22
File Handle - Chainsaw	16
Filing Guides	16
Filter - Fuel - Lawn mower	11
Four Stroke Oil	20
Fuel Cans - Metal	18
Fuel Cans - Plastic	18, 19 , 23
Fuel Filter - Lawn mower	11

TUFFCUT® Catalogue Index	Page
Fuel Filters - Trimmer	11
Fuel Mixing Bottle.	21
Fuel Pick Up Hose - Trimmer	11
Fuel Spout - Scepter	19
Fuel Tap & Hose Kit - Lawn mower	11
Funnel Set - Plastic	19
Handles - Starter, Lawn mower	12
Inner Tubes	12
Jerry Cans - Plastic	18 – 19, 29
Lubricants	20 – 21
Maul - Wood splitter	22
Mesh Visor and Ear Muff Kit	22
Metal Fuel Containers.	18
Nylon Line	13, 14
Oil - Chain & Bar	21
Oil - Two Stroke	21
Oil - Four Stroke	20
Overboots	22
Pick Up Tool - EZ Reacher	23
Plastic Fuel Containers	18, 19, 29
Pneumatic Tubes	12
Primer Bulb - Trimmer	11
Quick Find Images - Mower Blades	30 – 37
Ride On & Slasher Blade Sets	10
Rope - Starter, Lawn mower	12
Safety Equipment	22
Scepter Fuel Containers	18, 19, 29
Spanner - Spark Plugs	16 – 17
Mower Wheels	12




 Blade lengths are measured from centre of bolt hole to tip of blade.

13-3555

Echo edger blade (Page 11)
Ryobi edger models: LE720R
Stihl: FC72 / FC74 trimmers (edger)
Shindaiwa: Selected models


Length: 7 $\frac{1}{16}$ " (195 mm)
Width: 2" (50 mm)
Hole: 1" (25 mm)




13-5445

Homelite edger blade (Page 11)
E200 & PSE300 edger models


Length: 8 $\frac{3}{4}$ " (222 mm)
Width: 2" (50 mm)
Hole: 1" (25 mm)



 Sit the blade on top of the drawing to identify your blade.

17-7667

Cox 21" cut (Page 3)
Jetfast / Supa-Swift 21" cut (Page 4)
Supa-Swift / Jetfast 21" cut (Page 7)
Flat blade with domed bolt hole.
Length: 5 $\frac{5}{16}$ " (135 mm)
Width: 2" (50 mm)
Hole: $\frac{5}{8}$ " (16 mm)





Blade lengths are measured from centre of bolt hole to tip of blade.




Sit the blade on top of the drawing to identify your blade.



17-3234

Jetfast / Supa-Swift 18" cut (Page 4)
Supa-Swift / Jetfast 18" cut (Page 7)
Flat blade with formed flute.

Length: 3 ½" (89 mm)
Width: 1 ¾" (44 mm)
Hole: ½" (13 mm)



17-3237

Masport / Morrison 18" cut (Page 4)
Flat blade with flute.

Length: 4" (101 mm)
Width: 1 ¾" (44 mm)
Hole: ½" (13 mm)



17-3238 & 17-3238/4

Cox 18" cut (Page 3)
Rover 18" and 20" cut (Page 5, 6)
Stihl / Viking 18" cut (Page 7, 9)
Flat blade with flute.

Length: 3 ¾" (95 mm)
Width: 1 ½" (38 mm)
Hole: ½" (13 mm)





Blade lengths are measured from centre of bolt hole to tip of blade.




Sit the blade on top of the drawing to identify your blade.

17-3242

Victa 18" cut (Page 8)
Flat blade with high flute and domed bolt hole.


Length: 3 $\frac{3}{4}$ " (96 mm)
Width: 1 $\frac{3}{4}$ " (44 mm)
Hole: $\frac{7}{16}$ " (14 mm)



17-3245

Victa (Utility) (Page 8)
Flat blade with domed bolt hole.


Length: 4" (101 mm)
Width: 1 $\frac{1}{2}$ " (38 mm)
Hole: $\frac{7}{16}$ " (14 mm)





17-3620

GMC (Page 3)
Honda 19" and 21" cut (Page 4)
Rover 18" cut (Page 6)
World Mowers 18", 20" and 22" cut (Page 9)
Stepped and fluted blade.

Length: 4 $\frac{7}{8}$ " (124 mm)
Width: 1 $\frac{3}{4}$ " (44 mm)
Hole: $\frac{5}{8}$ " (16 mm)



 Blade lengths are measured from centre of bolt hole to tip of blade.


 Sit the blade on top of the drawing to identify your blade.



17-5345

Masport / Morrison 18" cut (Page 5)
Stihl - Viking 18" cut (Page 7, 9)
Stepped and fluted blade with domed bolt hole.

Length: 3 $\frac{3}{4}$ " (95 mm)
Width: 1 $\frac{3}{4}$ " (44 mm)
Hole: $\frac{1}{2}$ " (13 mm)



17-7652

Rockwell & Ross blade and bolt set (Page 9)
Stepped and fluted blade.


Length: 5.4" (138 mm)
Width: 1.7" (44 mm)
Hole: 0.62" (16 mm)



17-5546

Flymo 19" cut (Page 3)
Weedeater / Flymo / Electrolux 19" cut (Page 9)
Flat blade with flute and domed bolt hole.

Length: 4 $\frac{1}{4}$ " (107 mm)
Width: 1 $\frac{3}{4}$ " (44 mm)
Hole: $\frac{5}{16}$ " (14 mm)





Blade lengths are measured from centre of bolt hole to tip of blade.




Sit the blade on top of the drawing to identify your blade.

17-5696

Rover 18" and 20" cut (Page 6)
Flat blade with flute and offset hole.


Length: 3 $\frac{3}{4}$ " (95 mm)
Width: 2" (50 mm)
Hole: $\frac{1}{2}$ " (13 mm)



17-5881

Bushranger 18" and 21" cut (Page 2)
MTD / Yardman 18" and 21" cut (Page 5)
Stihl / Viking 18" and 21" cut (Page 6, 8)
Flat blade with a domed bolt hole and formed flute.

Length: 3 $\frac{1}{2}$ " (89 mm)
Width: 2" (50 mm)
Hole: $\frac{1}{2}$ " (13 mm)




17-5883 (1 pair packet)

17-6328 (2 pair packet)

Victa 18" cut (Page 8)
Heavy duty high flute blades with domed offset bolt hole.

Length: 3 $\frac{3}{4}$ " (95 mm)
Width: 2 $\frac{1}{4}$ " (57 mm)
Hole: $\frac{9}{16}$ " (14 mm)





Blade lengths are measured from centre of bolt hole to tip of blade.




Sit the blade on top of the drawing to identify your blade.



17-6374

Talon 19" cut (Page 7)
Flat blade with flute and offset hole.

Length: 3 $\frac{3}{4}$ " (95 mm)
Width: 2" (50 mm)
Hole: $\frac{1}{2}$ " (13 mm)



17-6402

Honda 21" cut (Page 4)
One pair stepped and fluted blades and one pair stepped and high fluted blades.


Length: 6" (152 mm)
Width: 2" (50 mm)
Hole: $\frac{5}{8}$ " (16 mm)



17-6490

Falcon 20" cut (Page 3)
Victa 19" cut (Page 8)
Stepped and fluted blade with domed bolt hole.

Length: 4 $\frac{3}{4}$ " (121 mm)
Width: 1 $\frac{3}{4}$ " (44 mm)
Hole: $\frac{9}{16}$ " (14 mm)





Blade lengths are measured from centre of bolt hole to tip of blade.



Sit the blade on top of the drawing to identify your blade.

17-7437

Sanli 18" cut (Page 6)
Flat blade with flute and domed bolt hole.

Length: 4 ²⁵/₃₂" (121mm)

Width: 2" (50 mm)

Hole: ¹⁹/₃₂" (15 mm)




18-5540

Masport 21" cut (Page 5)
Rover 30" and 38" cut (Page 10)
Flat and fluted right hand cut blades.

Length: 5 ¹/₂" (140 mm)

Width: 2" (50 mm)

Hole: ¹/₂" (13 mm)




18-5541

Rover 30" and 38" cut (Page 10)
Flat blades, no flute, right hand cut.

Length: 5 ¹/₂" (140 mm)

Width: 2" (50 mm)

Hole: ¹/₂" (13 mm)




18-5543

MTD 19" and 21" cut (Page 5)
Jetfast / Supa-Swift 24" cut (Page 10)
Stepped and high fluted,
right hand cut.

Length: 5 $\frac{5}{16}$ " (150 mm)

Width: 2" (50 mm)

Hole: $\frac{1}{2}$ " (13 mm)




18-5549

Cox 25", 28" and 38" cut (Page 10)
Standard duty stepped and fluted,
right hand cut.

Length: 5 $\frac{3}{8}$ " (136 mm)

Width: 1 $\frac{7}{8}$ " (47 mm)

Hole: $\frac{1}{2}$ " (13 mm)



18-5544

Cox 32" cut (Page 10)
Stepped and high fluted, right
hand cut.

Length: 7 $\frac{3}{4}$ " (198 mm)

Width: 2" (50 mm)

Hole: $\frac{1}{2}$ " (13 mm)



Sit the blade on top of the
drawing to identify your blade.



Blade lengths are measured from
centre of bolt hole to tip of blade.



TUFFCUT® DIRECT BANKING DETAILS:

Account name: Roy Gripske and Sons Pty. Ltd.

Bank: ANZ, Kippa-Ring, QLD

BSB: 014 228

Account Number: 377 795 376

Reference: Please use your account code or invoice number as the reference. We also accept credit cards (MasterCard and Visa).

Notes

Copyright © 2017 Roy Gripske & Sons Pty. Ltd. All Rights Reserved.

The **TUFFCUT®** wordmark is a registered trademark of Roy Gripske & Sons Pty. Ltd.

Roy Gripske and Sons shall not be liable for technical or editorial errors or omissions contained herein, nor for incidental or consequential damages resulting from furnishing this material. The information is provided "as is" and is subject to change without prior notice. Roy Gripske & Sons Pty. Ltd. reserves the right to change product specifications and descriptions contained within, and further, to revise the content of this document at any time without prior notice.

All other company, product and service names mentioned herein are trademarks, registered trademarks or service marks of their respective owners.

No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording or storing in a retrieval system, or translated into any language in any form without prior written permission of Roy Gripske & Sons Pty. Ltd.

www.tuffcut.com.au

Prices and Freight Charges

Prices are subject to change without notice. Please check your invoice or packing slip upon receipt. All prices are wholesale trade prices and are subject to 10% GST. There is no minimum order restriction, although orders under \$150 are subject to packing and freight charges. A minimum freight charge of \$12.00 for Metro and Near Country Areas, or \$16.00 for Country Areas will be charged on all invoices. Certain larger, bulky or special purchase items will attract freight charges and insurance costs outside of the normal freight terms determined by the actual cost to ship the goods ordered. Roy Gripske and Sons Pty. Ltd. reserves the right to make changes to the freight policy at any time and without notice. Customers with a receiver pays freight arrangement will also be liable for a packing and administration charge where the order value is less than \$150. Air freight and special delivery requirements will be charged separately.

Part Numbers

Please use TUFFCUT® part numbers when placing your orders, so that your order receives priority attention. If you require part identification assistance, a good description of the part or another supplier's part number will enable us to help you to choose the right part for the job. All original equipment manufacturers' names, photographs and part numbers are used for identification purposes only, and we in no way imply that our products are original parts.

Goods and Services Tax (GST)

All parts and services supplied by Roy Gripske & Sons Pty. Ltd. are subject to a GST of 10%. A compliant tax invoice will be issued showing total excluding GST, total GST and total including GST for every sale and supply of goods.

Claims for Shortages

Order discrepancies must be reported as soon as you become aware of the discrepancy following the receipt of goods. Claims relating to shortages will not be recognised after 7 days of goods receipt. Roy Gripske and Sons Pty. Ltd. takes all necessary care in the packing of goods, and we will replace any item which we find was not originally supplied and only following a process of internal investigation. However, upon leaving our warehouse, the goods are the responsibility of the purchaser, irrespective of who arranges transport. Therefore, where shortages have occurred in transit, all claims for loss or damage must be made on the carriers at the delivery end and your known insurance company. All orders are usually despatched within 24 hours of receiving the order. If you do not receive your order in a reasonable timeframe, please check with us to confirm despatch details.

Return of Goods / Warranty

If an item has been supplied incorrectly or is faulty, you must notify us upon receipt of your order to advise of any discrepancies. We will arrange for a credit to be raised on your behalf. Under no circumstances will goods be supplied at no charge. All goods must be forwarded to the warehouse where purchased within 20 days and must be in the original packaging and must be in good condition. Goods returned without any valid reason are subject to a restocking fee of 20% of their value (minimum \$5 charge). Goods returned for warranty must be accompanied by a completed Warranty Claim form. Warranty will only be paid on replacement part value (once verified faulty). Please also note – we can only provide warranty assistance on the replacement engines that we sell. All other warranty is handled by the OEM. For goods specially procured, there will be no credit allowable. Please Note: Special order products are not returnable, nor can they be cancelled after shipment from vendor. All claims made after 20 days are by negotiation. Definitely NO CREDIT after 60 days. The customer acknowledges that the ownership of the goods supplied does not pass to the purchaser until payment is made in full to Roy Gripske & Sons Pty. Ltd. The customer accepts the goods as Bailee only pending payment and authorises Roy Gripske & Sons Pty. Ltd. to enter the premises to remove the goods for resale, if payment is not supplied within supplier's trading terms. The customer may sell the goods in the course of their business on the condition that it holds the proceeds in trust for Roy Gripske & Sons Pty. Ltd. until payment is made to the supplier.

Insurance of all Roy Gripske & Sons Pty. Ltd. Products

Products sold by TUFFCUT® / Roy Gripske & Sons Pty. Ltd. are covered by a multiple comprehensive liability insurance to the value of \$20,000,000.00 which includes coverage of personal injury and property damage in line with other reputable manufacturing firms. A copy of our policy is available on request.

Terms of Trading

1. We offer our approved account holders interest free terms and require payment strictly by the last trading day of the month following the statement (e.g. statement date 30th June will require payment no later than the last trading day in July). Overdue accounts will be placed on "No Supply" status until paid. Should the account remain outstanding for longer than 30 days after the payment due date, a 2% account-keeping fee per month (on the overdue amount) will be applied directly to the account.
2. All prices are subject to compliance with terms of payment.
3. Conditions of Sale – 1. The ownership of any goods sold by the seller and delivered to the purchaser will be transferred to the purchaser when the purchaser has made payment in full for all goods and all that is owing to the seller no matter on what grounds. 2. In the event of payment for goods becoming overdue or other default, the seller may recover and resell the goods. 3. The seller by its employees or agents may enter the purchaser's premises for the purpose of recovering possession of the goods in the event of payments for the goods becoming overdue or other default. 4. Payment for the goods shall become due immediately upon the commencement of any act or proceeding in which the purchaser's solvency is involved. 5. The purchaser has the right to sell the goods to third parties in the ordinary course of business. 6. Goods specially procured, no returns allowable. Please Note: Special order products are not returnable, nor can they be cancelled after shipment from vendor. 7. Goods returned for credit will be subject to handling charges of 20% (minimum \$5.00 charge). 8. Credit after 20 days will be by negotiation only. 9. Invoice number must be supplied before the credit will be considered. 10. Any returns must be in original packaging and unused. 11. Prices are subject to change without notice. 12. Charge Terms: Net 30 Days from statement. Payment of this debit is due at our registered office. 13. Cash Sale: No refund will be given without the invoice being produced. 14. Prices are ex-warehouse, packing and/or freight extra. 15. Warranty: All warranty replacement goods will be invoiced at time of despatch and normal payment terms apply. A credit will be raised upon acceptance from manufacturer or distributor responsible for granting warranty after receiving warranty claim form and return of goods.



QLD WAREHOUSE

Ph: 1300 363 004
Fax Freecall: 1800 636 973
Email: sparesqld@rgs.com.au

VIC WAREHOUSE

Ph: 1300 760 480
Fax Freecall: 1800 220 582
Email: sparesvic@rgs.com.au

SA WAREHOUSE

Ph: 1300 781 352
Fax Freecall: 1800 453 352
Email: sparessa@rgs.com.au

WA WAREHOUSE

Ph: 1300 307 574
Fax Freecall: 1800 023 888
Email: spareswa@rgs.com.au

NSW WAREHOUSE

Ph: 1300 363 005
Fax Freecall: 1800 640 366
Email: sparesnsw@rgs.com.au

TAS WAREHOUSE

Ph: (03) 6391 8058
Fax: (03) 6391 8410
Email: sparestas@rgs.com.au

www.tuffcut.com.au



All original equipment, manufacturer's names and part numbers and photographs or drawings of their products are used for identification purposes only, and, unless otherwise expressly stated, our products are not original equipment manufacturer's parts. All products advertised were in reasonable quantities at the date of printing. Roy Gripske & Sons Pty. Ltd. will do everything possible to maintain stock of product advertised, but cannot

be responsible for product out of stock at time of ordering, or through any other circumstances beyond the control of Roy Gripske & Sons Pty. Ltd. E & O.E.

Roy Gripske & Sons Pty. Ltd. shall not be liable for technical or editorial errors or omissions contained herein, nor for incidental or consequential damages resulting from furnishing this material. The information is provided "as is" without warranty of any kind and is subject to change without notice. Roy Gripske & Sons Pty. Ltd. also reserves the right to revise the content at any time without prior notice.

Copyright © 2017 Roy Gripske & Sons Pty. Ltd. All Rights Reserved. #141

